Listing of Claims:

1	 (previously presented) A system for providing self-installing
2	software components for network service execution, comprising:
3	a service host system to store network service software for a service and
4	installation software for the network service software, wherein the installation
5	software comprises an installation predicate object and a helper object; and
6	a requesting system to communicate with the service host system through
7	a basic communication framework, comprising:
8	a checking mechanism to download and execute the installation
9	predicate object, wherein the installation predicate object comprises code to verify
10	prerequisites against a runtime environment through the service host system by
11	testing hardware, peripherals, and software components of the requesting system
12	and to generate a list of missing components when at least one required
13	component for installation of the network service software is missing;
14	a helper mechanism to download and execute the helper object,
15	wherein the helper object comprises code to obtain the at least one required
16	component when missing and to install the network service software using the
17	installation software; and
18	a service mechanism to provide a service of equivalent
19	functionality to the service of the service host system to one or more other
20	requesting systems that is independent of the service host system.
1	(previously presented) A system according to Claim 1, further
2	comprising:
3	a set of standardized method definitions provided through a public
4	interface defined on the network service software.
4	ingrided defined off the network service software.
1	3. (previously presented) A system according to Claim 2, wherein the

standardized method definitions are selected from the group comprising at least

one of an availability method, environment verification method, code retrieval

method, and an update method.

2

3

(previously presented) A system according to Claim 1, wherein the 1 4. network service software is updated through the service host system. 2 1 5. (previously presented) A system according to Claim 1, wherein the installation predicate object verifies that the runtime environment satisfies 2 prerequisites necessary to install and execute the network service software. 3 (previously presented) A system according to Claim 1, wherein the 1 6. installation predicate object is implemented in at least one of mobile code for 2 execution within a managed code platform and in platform-specific native code. 3 Claim 7 (canceled). 1 1 8. (previously presented) A system according to Claim 1, wherein the 2 helper object is implemented in at least one of mobile code for execution within a managed code platform and in platform-specific native code. 3 9. (previously presented) A system according to Claim 1, further 1 2 comprising: 3 an update object defined on the service host system to identify, retrieve and install any updates to the network service software. 4 1 10. (original) A system according to Claim 9, wherein the update object is implemented in at least one of mobile code for execution within a 2 managed code platform and in platform-specific native code. 3 1 Claim 11 (canceled). 1 Claim 12 (canceled). 1 13. (original) A system according to Claim 1, wherein the basic communication framework comprises a Java operating environment.

1	(previously presented) A method for providing self-installing
2	software components for network service execution, comprising:
3	storing on a service host system, network service software for a service
4	and installation software for the network service software, wherein the installation
5	software comprises an installation predicate object and a helper object; and
6	establishing a basic communication framework between the service host
7	system and a requesting system, comprising:
8	executing by the requesting system, the installation predicate
9	object comprising code to verify prerequisites against a runtime environment
10	through the service host system by testing hardware, peripherals, and software
11	components of the requesting system and to generate a list of missing components
12	when at least one required component for installation of the network service
13	software is missing;
14	executing by the requesting system, the helper object comprising
15	code to obtain the at least one required component when missing and to install on
16	the requesting system, the network service software using the installation
17	software; and
18	providing by the requesting system, a service of equivalent
19	functionality to the service of the service host system to one or more other
20	requesting systems that is independent of the service host system.
1	15. (previously presented) A method according to Claim 14, further
2	comprising:
3	specifying a set of standardized method definitions provided through a
4	public interface defined on the network service software.
1	16. (previously presented) A method according to Claim 15, further
2	comprising:
3	defining the standardized method definitions selected from the group
4	comprising at least one of an availability method, environment verification
5	method, code retrieval method, and an update method.

1	17. (previously presented) A method according to Cla	aim 14, further
2	comprising:	
3	updating the network service software through the service	e host system.
1	13. (previously presented) A method according to Cl.	aim 14, further
2	comprising:	
3	verifying that the runtime environment satisfies the prere	quisites necessary
4	to install and execute the network service software.	
1	 (previously presented) A method according to Cl 	aim 14, wherein
2	the installation predicate object is implemented in at least one of	mobile code for
3	execution within a managed code platform and in platform-spec	ific native code.
1	Claim 20 (canceled).	
1	21. (previously presented) A method according to Cl	aim 14, wherein
2	the helper object is implemented in at least one of mobile code if	or execution
3	within a managed code platform and in platform-specific native	code.
1	22. (previously presented) A method according to Cl	aim 14, further
2	comprising:	
3	defining an update object on the service host system to it	dentify, retrieve
4	and install any updates to the network service software.	
1	23. (original) A method according to Claim 22, when	ein the update
2	object is implemented in at least one of mobile code for execution	on within a
3	managed code platform and in platform-specific native code.	
1	Claim 24 (canceled).	*
1	Claim 25 (canceled).	
1	26. (original) A method according to Claim 14, when	ein the basic
2	communication framework comprises a Java operating environ	ment.

2	performing the method according to Claim 14.
1	28. (previously presented) An apparatus for providing self-installing
2	software components for network service execution, comprising:
3	means for storing on a service host system, network service software for a
4	service and installation software for the network service software, wherein the
5	installation software comprises an installation predicate object and a helper
6	object; and
7	means for establishing a basic communication framework between the
8	service host system and a requesting system, comprising:
9	means for executing by the requesting system, the installation
10	predicate object comprising code to verify prerequisites against a runtime
11	environment through the service host system by testing hardware, peripherals, and
12	software components of the requesting system and to generate a list of missing
13	components when at least one required component for installation of the network
14	service software is missing;
15	means for executing by the requesting system, the helper object
16	comprising code to obtain the at least one required component when missing and
17	to install on the requesting system, the network service software using the
18	installation software; and
19	means for providing by the requesting system, a service of equivalent
20	functionality to the service of the service host system to one or more other
21	requesting systems that is independent of the service host system.

27. (original) A computer-readable storage medium holding code for